

jetStamp 1025 sense

**** NOW **** Printing options of up to 2 inches with corresponding accessories • *jetStamp 1025* with integrated measuring device • Available sensors: Barcode Scanner, V24-RS232 sensor adapter cable • Max. print size: 85 x 25 mm (W x H) = 2 inch with corresponding accessories



MEASUREMENT DOCUMENTATION from a single source

The “sense” makes all the difference! REINER® has added a device for solving **mobile measuring** tasks and their immediate **documentation** by **direct printing** to the basic model of the *jetStamp 1025*.

The *jetStamp 1025 sense* model maximises flexibility in documentation of measurements. Since the required **sensor** ([Barcode Scanner](#), [V24-RS232 sensor adapter cable](#)) is directly connected to the device, the *jetStamp1025 sense* constitutes a closed measuring unit with an **integrated printer**.

The **variable sense object** is selected in advance to match the **sensor** and the associated **measuring unit** in the PCset graphic imprint software. It is then saved as an imprint template there.

The measured value can be **printed on documents** and other **surfaces** at the measurement site **directly and repeatedly**. Measurement results are documented right away, making them tangible, visible, and permanently traceable at all times.

REINER® offers various accessories for the *jetStamp 1025 sense*, see [Accessories](#).

NEW: Printing options up to 2 inches

We have expanded our printing technology! You can now print impressions of up to 2 inches with our new accessories.


- **SPIKES with metal spike:** Perfect for wood and rough surfaces. These spikes provide a firm hold and precise prints. [Learn more](#)
- **ADHESIVE COATING for smooth surfaces:** Ideal for smooth surfaces, ensures clean and clear impressions. [Learn more](#)

Expand your possibilities and print larger impressions with maximum precision!

- Various measuring tasks with a single measuring device
- Available sensors: Barcode Scanner, V24-RS232 sensor adapter cable
- 100% mobile
- Max. print size: 85 x 25 mm (W x H) = 2 inch with corresponding accessories

jetStamp 1025 sense - Technical Data

Imprint:	Measurement results (sense objects), number, date, time, text, 1D Code & 2D Code sequential, graphic
Prints from:	PCset graphic, MOBILEset graphic, Word, Excel, Labelsoftware, ERP system such as SAP, Oracle, Microsoft Dynamics, Lexware
Display:	Display available
Dimensions (L x W x H):	195 x 100 x 200 mm
Weight:	ca. 900 g
Data transfer:	USB, Bluetooth, WiFi/WLAN capable
Storable print images:	255 storable print images
Print technology:	Inkjet
Max. print area dimension (W x H):	85 x 25 mm
Max. print speed:	< 1 s/print
Print resolution:	300 dpi
Battery capacity:	up to 1.000 prints
Order No.	1030 000-200 jetStamp 1025 sense incl. case
Printer Cartridges:	Please select desired print cartridge separately here

Order No.	Sample Prints	Figure size
1030 000-200		25 mm
1030 000-200	T: 25.0°C rF: 29.9% CO2: 742ppm p: 900hPa h: 985mNN	25 mm

Order No.	Sample Prints	Figure size
	2022-12-04 16:26 370.50 g 80 PC REINER	20 mm
	<i>Department C</i> 	
1030 000-200	 27.4 °C 14.Aug.2024 - 14:07:45	20 mm
		
1030 000-200	REINER jetStamp Surface temperature measurement 25.70 °C Date:2024-08-14 Time:14:05:01	20 mm

jetStamp 1025 sense - Accessories

Centering aid for pallet block EPAL

For optimum positioning on EPAL block



Order-No.: 1037 670-000

Shockproof Cover SILICONE

Optimum protection for your jetStamp 1025 sense against dust, dirt and shocks



Order-No.: 1037 600-010

jetStamp 1025 sense - Accessories

Retaining strap

Protection against fall damage, easy handling.



Order-No.: 1037 580-000

Guide template SPIKES

52mm pressure on rough surfaces. EPAL-approved.



Order-No.: 1037 630-010

Guide template ADHESIVE COATING

52 mm pressure on smooth surfaces. EPAL-approved.



Order-No.: 1037 630-000

Barcode Scanner

Simply connect, scan barcodes and print data



Order-No.: 1037 520-010


jetStamp 1025 sense - Accessories

V24-RS232 sensor adapter cable for stationary measuring equipment



Order-No.: 1037 540-010

Indicator of print position for consistent imprints on small or curved objects



Order-No.: 1037 210-000

Application metal templates Support printing on small parts and flexible materials



Order-No.: 1037 240-000

Ink trays - self-adhesive tray for spitting Optimize special and sensitive print images



Order-No.: 1037 230-000

jetStamp 1025 sense - Accessories

TEXTILE protective sleeve
Protects the device against dust, and dirt



Order-No.: 1037 260-000

Printing station
with automatic triggering directly at the workplace



Order-No.: 1037 300-000

Pedal-Switch
External printing trigger by foot or hand



Order-No.: 381050-005

Suitcase
for secure transport and storage of handheld
inkjet printers



Order-No.: 1037 010-100

jetStamp 1025 sense - Accessories

Swivel arm *jetStamp*

Individually adjustable holding arm for the ideal printing position



Order-No.: 1037 270-000

Accu AA

High-performance. Very durable. Long-lived.



Order-No.: 946 192-000

jetStamp 1025 sense - Printer cartridges

Ink cartridge

P5-S3-BK

for absorbent surfaces



Adheres to: Paper, cardboard, wood, stone/brick, concrete, textiles, felt, nonwovens, natural fibers

Order-No.: 1037 100-000

Ink cartridge

P5-MP3-BK

for non-absorbent surfaces



Adheres to: Paper, cardboard, wood, stone/brick, metal, plastic

Order-No.: 1037 100-120

jetStamp 1025 sense - Printer cartridges

Ink cartridge
P5-MP4-BK
for non-absorbent surfaces



Adheres to: Paper, cardboard, wood,
stone/brick, metal, plastic,
glass

Order-No.: 1037 100-130

Ink cartridge
P5-MP6-YE
for non-absorbent surfaces



Adheres to: Paper, cardboard, wood,
stone/brick, metal, plastic,
glass

Order-No.: 1037 100-140

REINER